

WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Monday, June 06, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> (substrate or semiconductor or wafer or workpiece or object) same (hold\$3 or support\$3) same (nozzle with (\$5sonic\$5 or transducer or vibrat\$3) with (channel or open\$3))	
<input type="checkbox"/>	L9	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i> (substrate or semiconductor or wafer or workpiece or object) same (hold\$3 or support\$3) same (nozzle with (\$5sonic\$5 or transducer or vibrat\$3) with (channel or open\$3))	9
<input type="checkbox"/>	L8	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> L7 and l6 (substrate or semiconductor or wafer or workpiece or object) same (hold\$3 or support\$3) same (nozzle with (\$5sonic\$5 or transducer or vibrat\$3) with (channel or open\$3))	5
<input type="checkbox"/>	L7	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> L6 134/137,140,144,147,148,151,184,198,199,902;438/905.ccls.	93
<input type="checkbox"/>	L5	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> (ozone water same hydrogen water) same (nozzle with (channel\$3 or open\$3 or line) with (\$5sonic\$5 or transducer or vibrat\$3))	2
<input type="checkbox"/>	L4	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> l3 and (ozone water same hydrogen water)	2
<input type="checkbox"/>	L3	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> FSI Ltd	20
<input type="checkbox"/>	L2	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> Iga-masao\$.in.	15
<input type="checkbox"/>	L1	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> Matsuno-Kousaku\$.in.	6

END OF SEARCH HISTORY